

SNYDER IS THE ONLY MANUFACTURER

with High Density Linear Polyethylene (HDLPE) chemical tanks certified to NSF/ANSI 61 Standards that designs, manufactures, & tests to ASTM D1998 quality standards!

NSF/ANSI Standard 61 addresses crucial aspects of drinking water system components. ASTM D1998 is the only world-wide quality specification for polyethylene storage tanks. Snyder is the <u>ONLY</u> company offering HDLPE storage tanks built to ASTM D1998 specification that are also certified to NSF/ANSI 61 standards for chemical storage. Snyder's HDLPE tanks in Natural and Opaque White UV Block-Out resin have been tested with the NSF-61 exposure waters, as well as with corrosive chemicals, to ensure they are safe for potable water use!

Snyder offers NSF-certified solutions for the storage of:

Acetic Acid 80%	Hydrochloric Acid 37%	Sodium Aluminate 100%
ACELIC ACIU 60%	Hydrocilloric Acid 37 /6	30010111 Alullillate 100/6

Aluminum Chlorohydrate 100% Hydrofluoric Acid 52% Sodium Bisulfite 40%

Aluminum Sulfate 50% Hydrofluosilicic Acid 30% Sodium Carbonate 85%

Calcium Carbonate 100% Hydrogen Peroxide 10% Sodium Chloride 26%

Calcium Chloride 30% Liquid Ammonium Sulfate 45% Sodium Chlorite 34%

Chlorine Dioxide 38% Magnesium Chloride 35% Sodium Hydroxide 50%

Citric Acid 100% Peracetic Acid 30% Sodium Hypochlorite 0.8%

Copper Sulfate 25% Phosphoric Acid 75% Sodium Hypochlorite 15%

Deionized Water 100% Poly Aluminum Chloride 100% Sodium Permanganate 40%

Ferric Chloride 50% Polyorthophosphate 100% Sodium Silicate 100%

Ferric Sulfate 60% Potable Water Sulfuric Acid 98%

Ferrous Chloride 37% Potassium Hydroxide 50% Zinc Orthophosphate 100%

Ferrous Sulfate 30% Potassium Permanganate 4%

We Want You To Be Our Next Satisfied Customer









ONE SOURCE DOES IT ALL

Whether you are a manufacturer or distributor, Snyder Industries can help you improve the function, economics and performance of your company's bulk handling systems.



Stationary tanks store from 8 to 20,000 gallons.

BULK STORAGE & PROCESSING TANKS

For larger stationary applications, Snyder offers the industry's broadest range of tanks – from 8 to 20,000 gallons – in shapes that meet your specific needs. To match your special function requirements, we also market a complete line of accessories, such as stands, seismic tie-downs, ladders, fittings, gaskets, sight gauges, heat tracing and insulation.



Double Wall tanks from 35 to 12,500 Gallons

DOUBLE WALL CONTAINMENT TANK SYSTEMS

For outdoor applications or when larger capacity is needed, Snyder offers double wall tank-in-a-tank containment systems in one space-saving unit ranging in size from 35 to 12,500 gallons. The double-wall construction is completely enclosed so that external matter such as rainwater, snow or debris is prevented from collecting in the outer containment.



Containment tank systems from 30-440 Gallons

CHEMICAL FEED STATIONS

Long lasting, corrosion-resistant tank and containment systems that provide the perfect solution for mini-bulk delivery programs. Complete and ready to use Chemical Feed Stations allow you to handle small amounts of liquids and other chemicals in a safer and more efficient manner than drums. The Chemical Feed Stations can be located close to your customer's use point, thereby eliminating the need for them to move and handle heavy drums and tote bins of hazardous materials, while at the same time eliminating the handling costs and inconvenient disposal of drums and one-way tote bins.



Transportation containers hold from 60 to 550 gallons.

UN/DOT-APPROVED IBCs

Snyder intermediate bulk containers (IBCs) are durable, corrosion-resistant and economical. These long-term, reusable containers are ideal for the transportation of both hazardous and non-hazardous liquid materials.



SOLUTIONS IN BULK HANDLING